

UnitedHealthcare Pharmacy Clinical Pharmacy Programs

Program Number	2024 P 1445-1
Program	Prior Authorization/Non-Formulary
Medication	Wegovy® (semaglutide) - Cardiovascular Risk Reduction Only
P&T Approval Date	4/2024
Effective Date	7/1/2024

1. Background:

Wegovy is a glucagon-like peptide-1 (GLP-1) receptor agonist indicated in combination with a reduced calorie diet and increased physical activity to reduce the risk of major adverse cardiovascular events (cardiovascular death, non-fatal myocardial infarction, or non-fatal stroke) in adults with established cardiovascular disease and either obesity or overweight.

We govy is also indicated to reduce excess body weight and maintain weight reduction long term in adults and pediatric patients aged 12 years and older with obesity, and in adults with overweight in the presence of at least one weight-related comorbid condition.

Medications for the purpose of weight loss are typically a benefit exclusion. The program allows for coverage of Wegovy for the cardiovascular risk reduction indication.

2. Coverage Criteria^a:

A. Initial Authorization

- 1. Wegovy will be approved based on <u>all</u> the following criteria:
 - a. Treatment is being requested to reduce the risk of major adverse cardiovascular events

-AND-

b. Patient is 45 years of age or older

-AND-

- c. Submission of medical records documenting all the following:
 - (1) BMI \geq 27 kg/m²
 - (2) Established cardiovascular disease as evidenced by **one** of the following:
 - (a) Prior myocardial infarction (MI)
 - (b) Prior ischemic or hemorrhagic stroke
 - (c) Symptomatic peripheral arterial disease (PAD) evidenced by <u>one</u> of the following:
 - (i) Intermittent claudication with ankle-brachial index (ABI) less than 0.85 (at rest)
 - (ii) Peripheral arterial revascularization procedure



(iii) Amputation due to atherosclerotic disease

-AND-

d. Used in combination with a reduced calorie diet and increased physical activity

-AND-

- e. One of the following:
 - (1) For patients with history of MI:
 - (a) Patient is on therapy from each of the following classes unless there is a contraindication or intolerance:
 - (i) cholesterol lowering medication (e.g., statin, PCSK9i)
 - (ii) beta blocker (i.e., carvedilol, metoprolol, or bisoprolol)
 - (iii) angiotensin-converting enzyme inhibitor (ACE-I), angiotensin II receptor blocker (ARB) or angiotensin II receptor blocker neprilysin inhibitor (ARNI)
 - (iv) antiplatelet (e.g., aspirin, clopidogrel)

-OR

- (2) For patients with history of ischemic or hemorrhagic stroke:
 - (a) Patient is on therapy from each of the following classes unless there is a contraindication or intolerance:
 - (i) cholesterol lowering medication (e.g., statin, PCSK9)
 - (ii) angiotensin-converting enzyme inhibitor (ACE-I), angiotensin II receptor blocker (ARB) or angiotensin II receptor blocker neprilysin inhibitor (ARNI)
 - (iii) antiplatelet (e.g., aspirin, clopidogrel)

-OR-

- (3) For patients with history of symptomatic PAD:
 - (a) Patient is on therapy from each of the following classes unless there is a contraindication or intolerance:
 - (i) cholesterol lowering medication (e.g., statin, PCSK9)
 - (ii) angiotensin-converting enzyme inhibitor (ACE-I), angiotensin II receptor blocker (ARB) or angiotensin II receptor blocker neprilysin inhibitor (ARNI)
 - (iii) antiplatelet (e.g., aspirin, clopidogrel)

-AND-



- f. Patient does **not** have either of the following:
 - (1) Diagnosis of diabetes or HgA1c \geq 6.5%
 - (2) New York Heart Association class IV heart failure

Authorization will be issued for 12 months.

B. Reauthorization

- 1. Wegovy will be approved based on <u>all</u> of the following criteria:
 - a. BMI $\geq 27 \text{ kg/m}^2$

-AND-

b. Used in combination with a reduced calorie diet and increased physical activity

-AND-

- c. Patient does **not** have either of the following:
 - (1) Diagnosis of diabetes or HgA1c \geq 6.5%
 - (2) New York Heart Association class IV heart failure

Authorization will be issued for 12 months.

^a State mandates may apply. Any federal regulatory requirements and the member specific benefit plan coverage may also impact coverage criteria. Other policies and utilization management programs may apply.

3. Additional Clinical Rules:

• Supply limits may be in place.

4. References:

- 1. Wegovy [package insert]. Plainsboro, NJ: Novo Nordisk; March 2024.
- Smith SC Jr, Benjamin EJ, Bonow RO, Braun LT, Creager MA, Franklin BA, Gibbons RJ, Grundy SM, Hiratzka LF, Jones DW, Lloyd-Jones DM, Minissian M, Mosca L, Peterson ED, Sacco RL, Spertus J, Stein JH, Taubert KA. AHA/ACCF secondary prevention and risk reduction therapy for patients with coronary and other atherosclerotic vascular disease: 2011 update: a guideline from the American Heart Association and American College of Cardiology Foundation. Circulation. 2011;124:2458–2473.
- 3. American Heart Association/American Stroke Association Practice Guidelines. Secondary Prevention of Ischemic Stroke: Updated Guidelines from AHA/ASA. 2022. *American Family Physicians*. 2022; 105(1).
- 4. Dawn O. Kleindorfer, Amytis Towfighi, Seemant Chaturvedi, Kevin M. Cockroft, Jose Gutierrez, Debbie Lombardi-Hill, Hooman Kamel, Walter N. Kernan, Steven J. Kittner, Enrique C. Leira, Olive Lennon, James F. Meschia, Thanh N. Nguyen, Peter M. Pollak, Pasquale Santangeli, Anjail Z. Sharrief, Sidney C. Smith Jr, Tanya N. Turan and Linda S. Williams. 2021 Guideline for the prevention of stroke in patients with stroke and transient



- ischmic attack : a guideline from the American Heart Association/American Stroke Association. *Stroke*. 2021;52:e364-e467.
- 5. Pablo Alonso-Coello, MD, PhD; Sergi Bellmunt, MD; Catherine McGorrian, MBBCh, BAO; Sonia S. Anand, MD, PhD; Randolph Guzman, MD, RVT; Michael H. Criqui, MD, MPH; Elie A. Akl, MD, MPH, PhD; Per Olav Vandvik, MD, PhD; Maarten G. Lansberg, MD, PhD; Gordon H. Guyatt, MD, FCCP; and Frederick A. Spencer, MD. Antithrombotic therapy in peripheral artery disease: antithrombic therapy and prevention of thrombosis, 9th ed: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest*. 2012;141(2 Suppl):e669S.

Program	Non-Formulary – Wegovy - Cardiovascular Risk Reduction Only	
Change Control		
Date	Change	
4/2024	New program.	